

Barnel... Tools for All Seasons..®



WORLDWIDE CHOICE OF PROFESSIONALS™



www.barnel.com
4888 NW Bethany Blvd.
Suite K5-375
Portland, OR 97229-9260 USA
Phone: 1-503-291-1400 Fax: 1-503-291-1600
info@barnel.com

A WARM WELCOME TO BARNEL-USA®

GREETINGS—GUTEN TAG—KONNICHI WA—ALOHA—BONJOUR—GODDAG—
HOLA—SELAM—HALLO—SALVE—SELAMAT—OLA'—ZDRAVO

Applying our High Tech manufacturing "Know-How" of the 70's and early 80's, Barnel®, located in Portland, Oregon, USA, emerged with 12 products in 1985. The State of Oregon is known as a horticultural State where many plant and tree varieties are grown and supplied to the rest of the country. Oregon is also known for forestry. By the mid 1980's Oregon emerged as one of the leaders in the Viticulture industry placing Pinot Noir among other varieties on the world map. The Pacific Northwest leadership in the fruit industry brought about applying our high technology skills to a product line that would reach a number of markets worldwide.

CONCEPT: Build the *BEST*, Offer *UNIQUE* Product features without complication.

Today Barnel is proud to serve more than 60 countries worldwide. Our attention to detail is appreciated by professionals in agriculture, horticulture, viticulture, forestry, and landscaping as well as serious garden enthusiasts on 6 continents.

CONTENTS

WELCOME TO BARNEL® INTRODUCTION	2
HIGH-TECH PRUNERS & SECATEURS	3
LANDSCAPE & AGRICULTURAL PRUNERS, FLORAL / NURSERY SUPPLIES	4
FORGED FRUIT HARVEST TOOLS, FRUIT FLORAL & GARDEN SHEARS	5
GRAFTING KNIVES & SUPPLIES, HARVEST & LANDSCAPE KNIVES	6
RECREATIONAL PRODUCTS, STAINLESS STEEL SCISSORS	7
PROFESSIONAL LOPPERS, TOOL MAINTENANCE	8-9
TIGER TOOTH/TIGER CLAW® TRI-EDGED SAWS	10-11
"PACK-IT" TREE / GOODS CARRIERS	11
POLE PRUNERS / SAWS / ACCESSORIES	12
TELESCOPIC ULTRA REACH® PRUNERS / LOPPERS, HEDGE SHEARS	13
LANDSCAPE / GARDENING TOOLS & ACCESSORIES	14
SPRING BUCKETS & TOOL CARRIERS, SHEATHS AND TOOL BELTS	15
RATCHET PRUNERS & LOPPERS, DISPLAYS & BANNERS	16

Our commitment to continuous product improvement, to the latest technology, as well as LISTENING to our customers, has shaped Barnel® into what it is today. That includes extensive field testing prior to product introduction. This methodology supports the foundation of why we continue to lead the market.

Look for 5 to 10 new product innovations each year. Our technology department continues to explore new avenues to continuously improve with the belief to never give up or maintain the status quo.

What is the secret? We utilize the finest blade steels, razor sharp cutting edges, laser hardened teeth, light weight and ergonomic features that allow for maximum product performance. In conclusion, Barnel provides attention to every detail during the manufacturing process. Market position is our reward. Continuing to be the BEST is our motto. You have our commitment, now and always. Thank you.

L. Nelson
President

THE LEADERS IN CUTTING EDGE TECHNOLOGY

BARNEL® Patented Center Oiler Bolt

This elegant, patented innovation necessitates far less frequent oiling of the shear and eliminates the need to disassemble the tool when adding oil to the hinge. How does it work? The patented bolt contains a reservoir of oil released to the hinging mechanism gradually through tiny holes near the threads as the tool is used. When empty, the bolt can be quickly refilled by gently depressing the precision spring-loaded ball bearing valve. Barnel® B-Oil offers the perfect lubricating properties for this bolt, and is biodegradable, non-toxic, non-hazardous and comes in the appropriate narrow tip applicator for easy refill.




TABLE AND CATEGORY ICON DESCRIPTIONS

	= Barnel Bartanium™ Forged Alloy Blade Steel		= Hard Chrome Finish		= Tri-Edge Tooth Design
	= 2-Position Lock		= Head Size		= Front Lock/ Side Lock
	= Blade Length		= High Carbon Blade Steel		= Serrated Blade Edge
	= Self Oiling Center Bolt		= High Carbon Sword Steel		= Rotating Handle
	= Cutting Diameter		= Overall Length		= Impulse Hardened
	= Double Ground Cutting Edge		= Pressure Injection Die Cast		= Weight
	= Drop Forged		= Sap Groove		= Hardened Stainless Steel Alloy
	= Folding Blade		= Samurai Sword Steel Alloy		
			= Stainless Steel		
			= Thermoplastic Rubber		





High-Tech PRUNERS & SECATEURS

- Hardened high carbon sword steel blades (B300, B307, B308, B317, B318, B350)
- Cold forged sword steel blades with hard chrome finish (B7, B8, B1400, B1400L)
- Drop forged aluminum handles/body (B300, B307, B308, B317, B318, B350)
- Pressure injection die cast handles/body (B7, B8, B1400, B1400L)
- Patented self oiling center bolt for ease of maintenance
- Patented two-position lock for reduced effort, Ergonomic thermoplastic rubber (TPR) non-slip grips (B307, B308, B317, B318, B7B8, B1400, B1400L)
- Rotating handle (B318, B317) reduces fatigue



B200



B300



B350



B308CS

Contents:
Pruner, Oil, Spare Blade, Spare Spring, Diamond Sharpener.

Available As: B307CS, B308CS, B317CS, B318CS



B307



B308



B317



B318



B7




B8




B1400



B1400L



1/2 Open



Fully Open

BARNEL® Patented Two Position Lock

The vast majority of pruning work is on smaller diameter wood. Why squeeze repeatedly against the spring tension of a one-inch capacity pruner when 70% of the cuts are 1/2 inch or less? The advantage of a second locking position led BARNEL® to introduce the patented two position lock.

Activated at the flick of the thumb, this exciting innovation enables the user to change the pruner to a smaller cutting capacity, allowing for a narrower hand spread. The resulting relief in hand strain translates into stronger cuts, hour after hour. Individuals with smaller hands find this feature invaluable.

COLLECTION SERIES	
Model	High Tech Pruner Kit Includes
B307CS	Pruner (B307, B308, B317, B318 respectively) and matching spare blade, spare spring, dual density coarse/fine diamond sharpener and lubricating oil
B308CS	
B317CS	
B318CS	

Model	F	pi	Oil	TPR	HCS	Star	CR	Ø	Scale	KG	Description
B307	•		•	•	•			3/4"(20mm)	7 1/4"(19cm)	7.6oz(215g)	High Tech Pruner
B308	•		•	•	•			1"(25mm)	8 1/4"(21cm)	8.1oz(230g)	High Tech Pruner
B317	•		•	•	•			3/4"(20mm)	7 3/4"(20cm)	9.3oz(265g)	Same as B307 w/Rotating Handle High Tech Pruner
B318	•		•	•	•			1"(25mm)	8 1/4"(21cm)	10.1oz(285g)	Same as B308 w/Rotating Handle High Tech Pruner
B200			•		•			5/8"(16mm)	8 1/4"(21cm)	8.6oz(245g)	Classic Economy Pruner
B300	•		•		•			1"(25mm)	8 1/4"(21cm)	8.8oz(250g)	Classic Heavy Duty Pruner
B350	•		•		•			1 1/8"(29mm)	9 1/4"(23cm)	11.0oz(310g)	Classic Large Hand Heavy Duty Pruner
B7		•	•	•	•		•	3/4"(20mm)	7"(18cm)	6.0oz(170g)	Lightweight Pruner
B8		•	•	•	•		•	7/8"(23mm)	8"(20cm)	7.1oz(200g)	Lightweight Pruner
B1400		•	•	•	•		•	5/8"(16mm)	7"(18cm)	5.6oz(160g)	Lightweight Twin Blade Secateur
B1400L		•	•	•	•		•	5/8"(16mm)	7 3/4"(20cm)	6.2oz(175g)	Lightweight Twin Blade Secateur

LANDSCAPE & AGRICULTURAL PRUNERS & SHEARS



Roller Pruner
B580 (packed in 6 color mix)



B175 (packed in 6 color mix)
• Replaceable high carbon steel blade
• Heavy Duty Steel Handle Construction
• Center oiler bolt promotes continuous lubrication
• Double Bumper System



B580

- Blade roller design ensures smooth continuous stress free cutting
- High carbon steel blade coated to resist unwanted sap
- Center oiler bolt promotes continuous lubrication
- Strong Aluminum Handle Construction



B399




B395



B393

- Drop forged heavy duty steel handles/body
- Anodized finish repels sap (B395, B393)
- Replaceable high carbon steel blades (B395, B393)
- Double layered cushioned handles (B395, B393)
- Center oiler bolt promotes continuous lubrication (B399)

Model			HCS				Description
B580		•	•	3/4"(20cm)	8"(20cm)	7.4oz(210g)	Roller Pruner
B175	•	•	•	3/4"(20cm)	7 1/4"(19cm)	8.0oz(227g)	Bypass Pruner
B399	•	•	•	3/4"(20mm)	8 1/4"(21cm)	11.1oz(315g)	Heavy Duty Pruner
B395	•		•	1"(25mm)	8 1/4"(21cm)	11.1oz(315g)	Large Pruner With Replaceable Blade
B393	•		•	1/2"(13mm)	6 1/2"(16cm)	4.9oz(140g)	Mini Pruner With Replaceable Blade



B798S

THORN LEAF STRIPPER



B5000

- Heavy duty design
- Cushioned thumb rest
- Adjustable

NURSERY/AG COUNTER



SJ504

- 4 digits
- Easy push button operation
- Chrome finished housing
- Easy Reset

Model	SS	blade			Description
B798S	•	13 1/4" (340mm)	24 1/2" (62cm)	110.1oz (3120g)	Floral Stem Cutter


Model			Description
B5000	4 1/2" (12cm)	3.6oz (100g)	Thorn Leaf Stripper

Model			Description
SJ504	2" x 1 1/2" (5 x 4cm)	1.9oz (55g)	Counter



FORGED FRUIT HARVEST TOOLS

- Drop forged stainless steel
- Dip coated cushioned handles
- Includes leather strap



A120



Strap



B120L



B120



B140

Model		SS				Description
A120	•	•	1/4"(7mm)	5 1/4"(13cm)	4.2oz(120g)	By-pass Avocado Picker
B120	•	•	3/16"(5mm)	4 1/4"(11cm)	3.4oz(95g)	Anvil Citrus/Fuji Apple Picker
B120L	•	•	3/16"(5mm)	5 1/4"(13cm)	4.6oz(130g)	Large Anvil Citrus/Fuji Apple Picker
B140	•		3/16"(5mm)	4 1/2"(11cm)	3.5oz(100g)	By-pass Lemon Picker
Strap			N/A	9 1/2"(24cm)	0.1oz(3g)	Leather Strap included with A120, B120, B120L, B140



FRUIT, FLORAL & GARDEN SHEARS



A3000

A3001S

A3002SC

A3100SC



V3000

V3001S

V3002SC

V3100SC



B3500



GC678

**PATENTED STAINLESS STEEL
PALM-FIT SERIES**



BP3100SC

BP3001S

BP3600S

Model		HCS	DG	SS				Description
A3000	•	•	•		1/4"(7mm)	7 1/2"(19cm)	3.2oz(90g)	Ergonomic Straight Needlenose
A3001S	•		•	•	1/4"(7mm)	7 1/2"(19cm)	2.8oz(80g)	Ergonomic Straight Needlenose
A3002SC	•		•	•	1/4"(7mm)	7 1/2"(19cm)	3.2oz(90g)	Ergonomic Curved Needlenose
A3100SC	•		•	•	1/4"(7mm)	6 1/2"(17cm)	2.8oz(80g)	Ergonomic Curved Blunt Nose Shear
V3000		•			1/4"(7mm)	7 1/2"(19cm)	4.1oz(116g)	Classic Straight Needlenose
V3001S				•	1/4"(7mm)	7 1/2"(19cm)	4.1oz(116g)	Classic Straight Needlenose
V3002SC				•	1/4"(7mm)	7 1/2"(19cm)	4.1oz(116g)	Classic Curved Needlenose
V3100SC				•	1/4"(7mm)	6 1/2"(17cm)	3.8oz(108g)	Classic Curved Blunt Nose Shear
B3500		•	•		3/8"(10mm)	7 1/2"(19cm)	5.3oz(150g)	Heavy Duty Straight Needlenose
GC678	•			•	3/16"(5mm)	6 1/2"(16cm)	2.3oz(65g)	Economy Straight Needlenose
BP3100SC	•		•	•	1/4"(7mm)	5 1/2"(14cm)	3.3oz(95g)	Palm Fit Curved Blunt Nose Shear
BP3001S	•		•	•	1/4"(7mm)	6 1/8"(15cm)	3.3oz(95g)	Palm Fit Straight Needlenose
BP3600S	•		•	•	3/8"(10mm)	6 1/8"(15cm)	3.3oz(95g)	Palm Fit Saber By-pass Shear



See Page 2 for Icon Descriptions

PROFESSIONAL GRAFTING KNIVES & SUPPLIES



B6850



B6050



B6830



B6410


- Solingen, Germany high carbon steel forged blades
- African Bobinga wood, brass rivets and lining

Model			blade		KG	Description
B6850	•		2 ¼"(60mm)	6 ¾"(17cm)	1.2oz(35g)	Grafting Knife
B6830	•		1 ¾"(45mm)	6 ¼"(16cm)	1.2oz(35g)	Budding Knife
B6050	•	•	2 ¼"(60mm)	6 ¼"(16cm)	2.3oz(65g)	Grafting Knife
B6410	•	•	1 ½"(40mm)	6 ¼"(16cm)	1.9oz(55g)	Budding Knife w/ Bark Lifter
G5100			N/A	5 ¼"x3"(13x8cm)	16.0oz(455g)	Swiss All Natural Grafting Wax
GB88			N/A	8 ½"x5 ½"(22x14cm)	20.1oz(570g)	"The Grafters Handbook"

GB88



G5100



HARVEST & LANDSCAPE KNIVES COMMERCIAL



- Heavy gauge stainless or high carbon steel
- Easy field ID handle design
- Serrated and non-serrated blade construction (BLK725P, BLK727P)
- Polypropylene handle construction that may be sterilized (see below) (BLK725P, BLK727P)
- Polypropylene handle is flared for a sure grip (BLK725P, BLK727P)
- TPR rubberized grip (BLK750, BLK751, BLK752, BLK758)



BLK750



BLK751



BLK752



BLK758

Model	SS	HCS	SERR	blade		KG	Description
BLK725P	•		•	4 ¼"(110mm)	9 ½"(24cm)	2.8oz(80g)	Same as BLK725, but Poly Handle, Can Sterilize
BLK725	•		•	4 ¼"(110mm)	9 ½"(24cm)	2.1oz(60g)	Landscape, Sod Knife
BLK727P	•		•	6 ¼"(160mm)	13 ½"(34cm)	3.5oz(100g)	Same as BLK727, but Poly Handle, Can Sterilize
BLK727	•		•	6 ¼"(160mm)	13 ½"(34cm)	3.5oz(100g)	Landscape, Harvest Knife
BLK730		•	•	6 ¼"(160mm)	13 ½"(34cm)	3.5oz(100g)	Same as BLK727, but High Carbon Steel
BLK733		•		4"(100mm)	12"(31cm)	4.1oz(115g)	Weed/Grass Knife
BLK735		•		6 ¼"(160mm)	14 ¾"(38cm)	5.1oz(145g)	Grass Knife
BLK737	•			8" (205mm)	24"(61cm)	10.2oz(289g)	Long Handle Tropical Sickle
BLK750	•		•	2"(50mm)	6 ¼"(16cm)	2.3oz(65g)	Harvest, Landscape Knife
BLK751	•			3"(75mm)	7 ½"(19cm)	2.5oz(70g)	All Purpose Knife
BLK752	•			2"(50mm)	6 ¼"(16cm)	2.3oz(65g)	Harvest, Landscape Knife
BLK758	•		•	3"(75mm)	7 ½"(19cm)	2.5oz(70g)	All Purpose Knife



RECREATIONAL PRODUCTS

Barnel® recreational products can be appreciated by backpackers, campers or outdoorsmen. These stylish products are lightweight, durable, easy to stow and fun!

- Forged heavy duty camping axe w/ hammer head, ABS handles and reinforced nylon belt pouch
- Fine pitch Barnel® Tiger Tooth/Tiger Claw® folding saw cuts wood, plastic or bone. Offered with or without clear acrylic case w/ belt clip
- Insulated pop-up thermo/cooler bucket w/ heat reflector, 7 gallon (26L)

BC902



B1080



Z130+C

Z130



B1030 Combo



Model	F	TPR	SK4	CR	blade		KG	Description
B1080	•	•			2 ¾"(70mm)	10 ½"(27cm)	22.9oz(650g)	Camping/Outdoor Axe w/Belt Pouch
Z130+C		•	•	•	5 ¼"(130mm)	7 ½"(19cm)	8.1oz(230g)	Z130 w/ Acrylic Case, Belt Clip
Z130		•	•	•	5 ¼"(130mm)	11 ½"(29cm)	5.6oz(160g)	Folding Straight Blade Pocket Saw
B1030	Combo Pack Consisting of B1080 Axe, Belt Pouch and Z130 Folding Saw							
BC902					N/A	12 x 14 ½" (31 x 37cm)	44.6oz(1265g)	Insulated Thermal Pop-up Cooler w/Detachable Shoulder Strap



STAINLESS STEEL SCISSORS


- AUS8 hardened stainless steel blades
- Soft gelled handles, all scissors
- Serrated blade sections (SERR)



B3200



B3200T



B3300



B3400



B20SS



Serrated
Teeth

Model	SS	SERR	Ø		KG	Description
B3200	•	•	5/16"(8mm)	6"(15cm)	1.9oz(55g)	Grape, Flower, Bonsai Scissors
B3200T	•	•	5/16"(8mm)	6"(15cm)	1.9oz(55g)	Same as B3200, Tilt Blade
B3300	•	•	5/16"(8mm)	6 ½"(16cm)	1.9oz(55g)	Craft, Floral Scissors
B3400	•	•	3/8"(10mm)	8"(20cm)	2.8oz(80g)	Large Craft, All-Purpose Scissors
B20SS	•		¼"(7mm)	8"(20cm)	3.2oz(90g)	Bonsai, Horticultural Scissors

PROFESSIONAL LOPPERS



By-Pass LOPPERS:

- Forged Barmel Bartanium™ alloy blade steel
- Drop forged cutting blade and anvil
- Induction hardened blade edge
- Deep sap groove
- Over-dimensioned curve in the blade and anvil, pulls branch into the cut
- Polyurethane bumper is impervious to UV light, oil, moisture
- Extra long tangs reach far into the handles to reduce breakage
- Oversize non-slip cushioned ergonomic TPR grips on aluminum models
- Extra tough extruded aircraft aluminum handles with anodized finish
- Hand selected premium oval American hickory handles
- Patented self oiling center bolt
- Double bumper for super soft cushioning (H-series, ORD-Series)

HORTICULTURAL DOUBLE BUMPER "H"

ORCHARD DOUBLE BUMPER "ORD"



MINI / VINE "M"

H30A

ORD32A

M16A

H24W

TOOL MAINTENANCE



B-Oil



B-Sharp

W = Oval American Hickory Handles

A = Extruded Aircraft Alloy Aluminum Handles with clear anodize finish

Model	F	Oil	TPR	Star	Ø	Length	KG	DESCRIPTION
M16A	•	•	•	•	1 ¼"(30mm)	16"(40cm)	28.4oz(805g)	MINI / VINE
M20A	•	•	•	•	1 ¼"(30mm)	19 ½"(50cm)	31.4oz(890g)	
M28A	•	•	•	•	1 ¼"(30mm)	28"(71cm)	37.4oz(1060g)	
H20A	•	•	•	•	1 ½"(40mm)	20 ¼"(51cm)	31.7oz(900g)	HORTICULTURAL DOUBLE BUMPER
H24A	•	•	•	•	1 ½"(40mm)	24 ¼"(62cm)	34.9oz(990g)	
H26A	•	•	•	•	1 ½"(40mm)	25 ¾"(65cm)	36.5oz(1035g)	
H30A	•	•	•	•	1 ½"(40mm)	29 ¾"(76cm)	39.6oz(1125g)	
H20W	•	•	•	•	1 ½"(40mm)	20 ¼"(51cm)	26.5oz(750g)	
H24W	•	•	•	•	1 ½"(40mm)	24 ¼"(62cm)	29.3oz(830g)	
ORD26A	•	•	•	•	1 ¾"(45mm)	26"(66cm)	38.8oz(1100g)	ORCHARD DOUBLE BUMPER
ORD28A	•	•	•	•	1 ¾"(45mm)	28"(71cm)	40.2oz(1140g)	
ORD30A	•	•	•	•	1 ¾"(45mm)	30"(76cm)	41.6oz(1180g)	
ORD32A	•	•	•	•	1 ¾"(45mm)	32"(81cm)	43.0oz(1120g)	
ORD36A	•	•	•	•	1 ¾"(45mm)	36"(91cm)	46.2oz(1310g)	

Model	Description
B-Sharp	Diamond Sharpener, Coarse & Fine sides, TPR Non-Slip Grip 6"(15cm) 1.1oz(30g)
B-Oil	Biodegradable, Non-Toxic, Non-hazardous Lubricant 4"(10cm) 0.7oz(20g)



PROFESSIONAL LOPPERS

ORCHARD "OR"

OR36A

OR26W



LANDSCAPE / TREE "B"

B36A

B26W

ANVIL "A" PATENT PENDING



A32A



Innovative Cushioned Bumper System



A32A

Available in a variety of lengths.

Model	F	Oil	TPR	Star	Ø	Length	KG	DESCRIPTION
OR26A	•	•	•	•	2"(50mm)	26"(66cm)	38.8oz(1100g)	ORCHARD
OR28A	•	•	•	•	2"(50mm)	28"(71cm)	40.2oz(1140g)	
OR30A	•	•	•	•	2"(50mm)	30"(76cm)	41.6oz(1180g)	
OR32A	•	•	•	•	2"(50mm)	32"(81cm)	43.0oz(1220g)	
OR36A	•	•	•	•	2"(50mm)	36"(91cm)	46.2oz(1310g)	
OR26W	•	•	•	•	2"(50mm)	26"(66cm)	33.5oz(950g)	
OR28W	•	•	•	•	2"(50mm)	28"(71cm)	35.1oz(995g)	
OR32W	•	•	•	•	2"(50mm)	32"(81cm)	38.4oz(1090g)	
B26A	•	•	•	•	2 1/2"(60mm)	26 1/2"(67cm)	42.5oz(1205g)	LANDSCAPE / TREE
B28A	•	•	•	•	2 1/2"(60mm)	28 1/2"(72cm)	43.9oz(1245g)	
B30A	•	•	•	•	2 1/2"(60mm)	30 1/2"(77cm)	45.3oz(1285g)	
B32A	•	•	•	•	2 1/2"(60mm)	32 1/2"(83cm)	46.7oz(1325g)	
B36A	•	•	•	•	2 1/2"(60mm)	36 1/2"(93cm)	49.9oz(1415g)	
B26W	•	•	•	•	2 1/2"(60mm)	26 1/2"(67cm)	37.2oz(1055g)	
B28W	•	•	•	•	2 1/2"(60mm)	28 1/2"(72cm)	38.8oz(1100g)	
B32W	•	•	•	•	2 1/2"(60mm)	32 1/2"(83cm)	42.2oz(1195g)	
A26A	•	•	•	•	2"(50mm)	26 1/2"(67cm)	42.5oz(1205g)	ANVIL
A32A	•	•	•	•	2"(50mm)	32 1/2"(83cm)	46.7oz(1325g)	
A36A	•	•	•	•	2"(50mm)	36 1/2"(93cm)	49.9 oz(1415g)	

See Page 2 for Icon Descriptions

TRI-EDGED SAWS

HOLLOW GROUND










- Precision ground tri-edged teeth; the fastest and smoothest cutting saws available. Cuts on the pull stroke
- SK4 Japanese high carbon Samurai sword steel
- Laser impulse hardened saw teeth maintain razor-sharp performance
- Hard chrome protective finish
- Strong ABS construction with non-slip TPR positive grip
- Folding saws have double locking system for both open and closed positions
- "Raker" slot design cleans as it cuts and helps cool the cut on hard, dead or processed wood.
- All blades are hollow ground for improved speed and performance.

TIGER TOOTH/TIGER CLAW® FOLDING SAWS



TIGER TOOTH/TIGER CLAW® NON-FOLDING SAWS



Model			SK4				◀blade▶	Tooth Pitch			Description
Z130	•	•	•	•	•	•	5 1/4"(130mm)	3.0mm	11 1/2"(29cm)	5.6oz(160g)	Pocket Saw, Straight Blade
Z130+C	•	•	•	•	•	•	5 1/4"(130mm)	3.0mm	7 1/2"(19cm)	8.1oz(230g)	Same as Z130 + Acrylic Case, Belt Clip
Z210	•	•	•	•	•	•	6"(150mm)	4.0mm	13 1/2"(34cm)	6.0oz(170g)	Saw, Straight Blade
Z180	•	•	•	•	•	•	7"(180mm)	4.0mm	15 1/2"(39cm)	7.8oz(220g)	Saw, Curved Blade
Z240	•	•	•	•	•	•	9 1/2"(240mm)	4.0mm	20 1/4"(51cm)	12.0oz(340g)	Saw, Curved Blade
Z270	•	•	•	•	•	•	10 1/2"(270mm)	4.0mm	22 3/4"(58cm)	13.2oz(375g)	Saw, Curved Blade
Z13	•	•	•	•	•		12 1/2"(320mm)	4.0mm	19 3/4"(50cm)	9.7oz(275g)	Saw, Curved Blade
Z14	•	•	•	•	•		14"(355mm)	4.0mm	20 1/2"(52cm)	10.2oz(290g)	Saw, Curved, Raker Blade
Z17	•	•	•	•	•		14 1/2"(370mm)	4.0mm	21"(53cm)	14.3oz(405g)	Saw, Curved Blade, D-Handle
Z25	•	•	•	•	•		17 1/4"(440mm)	6.0mm	25 1/4"(64cm)	16.6oz(470g)	Saw, Straight, Raker Blade, D-Handle



TRI-EDGED SAWS

HOLLOW GROUND



Z203



Z301



Z301U




- Precision Hollow Ground blades
- impulse hardened Tiger Tooth/Tiger Claw® teeth
- Quick disconnect "auto clean-out" sheath with spring steel clip (Z301, Z203)

Model			SK4	CR	TPR	blade	Tooth Pitch		KG	Description
Z203	•	•	•	•	•	9 1/2"(240mm)	4.0mm	18 1/2"(47cm)	11.3oz(320g)	Saw w/Detachable Sheath, Straight Blade
Z301	•	•	•	•	•	11 3/4"(300mm)	4.0mm	18 1/2"(47cm)	11.8oz(335g)	Saw w/Detachable Sheath, Straight Blade
Z301U	•	•	•	•		11 3/4"(300mm)	4.0mm	17 3/4"(45cm)	8.4oz(240g)	Saw w/Umbrella Handle, Straight Blade




"PACK-IT" TREE / GOODS CARRIERS

- Heavy duty galvanized aircraft cable construction
- Padded reinforced handle grips
- High load capacities (See safety information on product)
- Patented or patent pending



B3-4C



B7-BT



B7-BW


Model		KG	Load	Description
B7-BT	49"x7"(124cm x 18cm)	41.4oz(1175g)	550lbs(250kg)	Tapered Carrier, 2-Person
B7-BW	49"x13"(124cm x 33cm)	44.8oz(1270g)	550lbs(250kg)	Wide Carrier, 2-Person
B3-4C	68"x68"(173cm x 173cm)	100.2oz(2840g)	550lbs(250kg)	Wide Combo Carrier, 3-4 Person

PROFESSIONAL POLE PRUNERS / SAWS / ACCESSORIES



- 3-stage extruded aircraft alloy aluminum poles with comfortable TPR grip
- Barnel® pole saw blades are tri-edged, laser impulse hardened SK4 Japanese Samurai sword steel with hard chrome finish
- Z555 offers a laser impulse hardened SK4 hollow ground blade. Includes and aggressive 5.5mm raker tooth pitch and 1.4 mm blade material thickness for high speed sawing. Fits Z555S sheath.
- Z550 is identical to the Z555 EXCEPT: a finer less aggressive raker tooth pitch of 4.5mm; yet a more sturdy blade material, 1.5mm thick. With angle adjustment option. Excellent for certain applications in less dense wood. Fits Z555S Sheath
- Z-Head allows positioning of saw blade attachments at 3 different angles

- Z-Head, B555, and Z655PR fit universally into most round fiberglass poles
- Heavy-duty drop forged construction, lever assist, large cutting capacity (1.5") on B555 with less travel time to complete the cut and less overall weight
- Adapters promote easy change out of tools and interchangeability between tool and pole as application dictates
- B177Z precious fruit picker offers adjustable bag angle, razor sharp "U" shaped cutting blade or by-pass cutter and fits Z555PR or Z655PR adaptors to connect to any Barnel® aluminum or universal size pole
- Universal size plug-in fiberglass insulated pole sections with UV inhibitor and aluminum ferrules for added strength



SAW BLADES ARE HOLLOW GROUND

Model										Description
Z555P	•	•						74-181"(188-460cm)	67.0oz(1900g)	6-15' Telescoping Aluminum Pole
Z555P2	•	•						90-230"(229-584cm)	80.1oz(2270g)	7.5-19' Telescoping Aluminum Pole
Z555PR								9 1/2"(24cm)	5.1oz(145g)	Aluminum Adapter
Z655PFM								72"(183cm)	34.9oz(990g)	6' Fiberglass Pole Female to Male
Z655PMM								72"(183cm)	34.9oz(990g)	6' Fiberglass Pole Male to Male
Z655PR								9 1/2"(24cm)	4.9oz(140g)	Aluminum Adapter
Z655PO								9 3/4"(25cm)	5.1oz(145g)	Aluminum Adapter
Z555+S	•		•	•			17"(430mm)	26"(66cm)	27.3oz(775g)	Saw Head w/ Sheath
Z550+S	•		•	•			17"(430mm)	26"(66cm)	29oz(822g)	Saw Head w/ Sheath
Z-HEAD	Diecast Aluminum 3 Position Universal Saw Mount / Hook							6 1/4"(16cm)	8.8oz(250g)	Universal Saw Blade Mount / Hook
Z13-1	•		•	•			12 1/2"(320mm)	15"(38cm)	4.2oz(120g)	Curved Saw Blade
Z14-1	•		•	•			14"(355mm)	15 3/4"(40cm)	4.8oz(135g)	Curved Raker Saw Blade
Z17-1	•		•	•			14 1/2"(370mm)	17 1/4"(44cm)	6.3oz(180g)	Heavy Duty Curved Saw Blade
Z25-1	•		•	•			17 1/4"(440mm)	20 1/4"(51cm)	8.6oz(245g)	Large Straight Raker Saw Blade
B555					•	•	1 1/2"(40mm)	16 1/2"(42cm)	40.2oz(1140g)	By-pass Pruner Head
B177Z							1/4"(7mm)	19 3/4"(50cm)	28.2oz(800g)	Precious Fruit Picker Head



TELESCOPIC ULTRA REACH® PRUNERS / LOPPERS



- Ultra lightweight extruded aluminum construction
- Quick connecting telescopic extensions over a single push button
- Limited lifetime warranty on internal workings
- Alternate hand comfort grip, slides and locks anywhere on the pole
- Inlaid TPR handle, rotates 180 degrees on pole
- Cut and hold feature with special spring mechanism automatically adjusts for various sized cuts, can be removed if desired (B188 series)
- Center oiler bolt promotes continuous lubrication
- Ultra Reach® pruners include easy mount Tiger Tooth / Tiger Claw® tri-edge saw
- Telescopic Ultra Reach® lopper comes with adjustable shoulder strap for optimum weight distribution

*B168-2S Tiger Tooth Blade
Included with all Ultra-Reach® Pruners,
B188Z6-10

Model						blade			Description
B188Z6-10	•	•	•	•	•	5/8"(16mm)	71-119"(180-302cm)	39oz(1105g)	6-10' Telescoping Cut-n-Hold Pruner
B188Z4-6	•	•	•	•	•	5/8"(16mm)	49-79"(125-201cm)	30.7oz(870g)	4-6' Telescoping Cut-n-Hold Pruner
B168-2S	Saw included with B188Z6-10 & B188Z4-6					11"(280mm)	13"(33cm)	3.5oz(100g)	Tri-Edge Saw Blade, fits Ultra Reach® Pruners
B88T	•	•	•	•	•	1 1/2"(40mm)	71-95"(180-241cm)	77.6oz(2200g)	6-8' Telescoping Lopper, By-Pass



PROFESSIONAL HEDGE SHEARS

Barnel® offers a complete line of professional hedge shears, with models for all field requirements.

- B1000L - ultra light weight drop forged aluminum handles/body, replaceable high carbon steel straight blades
- B1010L - drop forged aluminum handles/body, replaceable high carbon steel wavy blades w/ serration at base
- B1100L/B1100XL - heavy duty step down blades w/ serration at base, high carbon steel, extruded aircraft alloy aluminum handles



Model				HCS		blade			Description
B1000L	•	•	•	•	•	9"(230mm)	27 1/2"(70cm)	32.4oz(920g)	Lightweight Drop Forged Shears, Hard Chrome Straight Blades
B1010L	•	•	•	•	•	9 1/4"(235mm)	28"(71cm)	35.2oz(1000g)	Drop Forged Shears, Hard Chrome Wavy Blades, Serrated Base
B1100L	•	•	•	•	•	11 1/4"(285mm)	30"(76cm)	50.1oz(1420g)	Heavy Duty Shears, Hard Chrome Straight Blades, Deep Sap Groove
B1100XL	•	•	•	•	•	11 1/4"(285mm)	36"(91cm)	54.3oz(1540g)	Same As B1100L, Longer Handles



B999



B175F99

Suction
Cups

Grab
Bars



B920
Sold in Pairs
The Universal Pick-Up Tool

B999

- Spring steel tines with 7 1/2" - 22" (19-56cm) adjustable spread
- Light weight aluminum adjustable 3' - 6' (0.9-1.8m) telescoping handle
- Super strong CAM-lock design allows for angling of tines



B3344



B3333



B5050




B6000



B6001



B6002



B1040S



B1050

Model		HCS		blade head			Description
B999				7 1/2"-22"(190-560mm)	35"-71"(89-180cm)	27.0oz(765g)	Telescoping Aluminum Rake
B920					15 1/2" x 11 3/4" (39x30cm)	8.5oz(240g)	Helping Hands, Universal Light Weight
B175F99			•	6 1/4"(160mm)	40"(102cm)	8.8oz(250g)	Ultra Reach® Aluminum Quick Pick
B3344		•	•	6 1/2"(165mm)	13"(33cm)	12.0oz(340g)	Dual Spring Sheep/Onion Shear, TPR Handles w/ Leather Sheath
B3333		•		5"(125mm)	11 3/4"(30cm)	11.3oz(320g)	Sheep/Onion Shear w/ Leather Sheath, Non Stick Blades, Stainless Cated Handle
B5050				5 1/4"(130mm)	13"(33cm)	13.1oz(370g)	3-Position All Metal Grass Shear
B6000			•	5 1/2"x3"(140x75mm)	12"(30cm)	7.1oz(200g)	Aluminum Trowel
B6001			•	6x2 1/4"(150x55mm)	12"(30cm)	6.7oz(190g)	Aluminum Transplanter
B6002			•	3 1/2 x3"(90x75mm)	11 1/2"(29cm)	8.5oz(240g)	Aluminum Cultivator
B1040S	•			4"x3 1/4"(100x80mm)	15 1/4"(39cm)	18.9oz(535g)	Forged Hoe/Cultivator, Stainless
B1050				4 1/2"x3 1/2"(115x90mm)	14 1/2"(37cm)	7.6oz(215g)	Forged Cultivator



SPRING BUCKETS & TOOL CARRIERS

B900



- Collapsible spring buckets compress to just 3"(75mm) for easy transportation and storage
- Mesh supported tear resistant PVC
- Extra strong spring, anti-corrosion plated
- Extra thick perforated bottom panel
- Quick connector clips assure easy collapsing action
- Padded adjustable shoulder strap included

B902 + B902L



B902R



- Collapsible rope bag features are the same as B900
- Water resistant rain hood
- Extra large clips
- Removable backpack strap
- Adjustable height for any size rope
- Padded adjustable shoulder strap included (rope not included)

Model	Dimensions	KG	Description
B900	22"Dx26"H (56cm D x 66cm H)	92.1oz(2610g)	43 Gallon (162L) Spring Bucket w/ Padded Shoulder Strap
B902+B902L	12"Dx14 1/2"H (30cm D x 37cm H)	26.8oz(750g)	7 Gallon Spring Bucket - Cooler Combo w/ Shoulder Strap
B902R	11 3/4"Dx13 1/2"H (30cm D x 34cm H)	14.8oz(420g)	Heavy Duty Rope Bag with Weather Flap, Perforated Hard Base and Padded Handles
B900S	39"-54"(99cm - 137cm)	3.5oz(100g)	Adjustable Padded Shoulder Strap, B900 Series
BTC	10"x12"x7" (25x30x18cm)	28.4oz(805g)	Multi-Tool Carrier



BTC unzips and converts from tool carrier to tool belt



SHEATHS AND TOOL BELTS



BLS913



BLS914



BLS915



BLS940

- Fine thick American saddle leather
- Spring steel pant clip and belt loop
- Tools are not included w/ sheaths



BLS934



BLS937



Z1314S

Model	Dimensions	KG	Materials/Features	Fits
BLS913	9"(23cm)	1.8oz(50g)	Nylon, Spring Steel Pant Clip, Belt Loop	All Pruners, Small Folding Saws
BLS914	9"(23cm)	3.2oz(90g)	Leather, Spring Steel Pant Clip, Belt Loop	Classic Pruners, Small Folding Saws
BLS915	9"(23cm)	3.5oz(100g)	Leather, Spring Steel Pant Clip, Belt Loop	Hi-Tech Pruners, B-Sharp, Small Folding Saws
BLS940	9 3/4"(25cm)	3.0oz(85g)	Leather, Spring Steel Pant Clip, Belt Loop	All Stainless Scissors, B-Sharp
BLS934	16 1/2"(42cm)	8.5oz(240g)	Leather, Belt Loop, Leg Strap	Z13, Z14 Saws
BLS937	19"(48cm)	10.1oz(285g)	Leather, Belt Loop, Leg Strap	Z17 Saw
Z1314S	20"(51cm)	7.8oz(220g)	ABS Plastic, Belt Loop	Z13, Z14 Saws
BTC2	20"x9"(51x23cm)	14.5oz(410g)	Leather Double Riveted	Leather Tool Belt

BTC2
Tool Belt

RATCHET PRUNERS & LOPPERS



- Ingenious ratcheting action for easy, assisted cutting
- Extra narrow handle spread, ideal for individuals with smaller hands
- Nylon fiberglass liner for a clean finish on every cut

How To Use A RATCHET PRUNER / LOPPER

1. Open pruner or lopper all the way.
2. Place pruner or lopper on the subject branch, as far into the jaw as possible.
3. Squeeze the handles together, advancing the blade through the branch with minimal effort. Once you feel increased handle resistance, STOP squeezing.
4. Open the shear slightly until you hear a definite CLICK. Again STOP and do not open the blade any further.
5. Squeeze again, repeating steps 3 and 4 to completely finish the cut. Do not pull or rip fibers.



B888




B525



B575 (packed in 6 color mix)



BR2700








BR4000
Curved Blade



BR2000
Straight Blade

Compact BR2700 contains extra ratchet teeth

Model			HCS				Description
B888	•	•	•	7/8"(23mm)	8"(20cm)	7.4oz(210g)	Straight Blade Aluminum Ratchet Pruner
B575		•	•	7/8"(23mm)	8"(20cm)	7.4oz(210g)	Curved Blade Aluminum Ratchet Pruner
B525		•	•	5/8"(16mm)	6 1/2"(16.5cm)	4.3oz(130g)	Light Weight Straight Blade Mini Ratchet Pruner
BR2000	•	•	•	2"(50mm)	25 3/4 - 37 3/4" (65-96cm)	57.5oz(1630g)	Straight Blade Telescopic Ratchet Lopper
BR4000	•	•	•	2"(50mm)	25 3/4 - 37 3/4" (65-96cm)	56.8oz(1610g)	Curved Blade Telescopic Ratchet Lopper
BR2700		•	•	1 1/4"(30mm)	18"(46cm)	21.6(610g)	Curved Blade Mini-Ratchet Lopper

- High carbon steel blade
- Push button adjustable telescoping extruded aluminum handles
BR2000/BR4000
- Dual self oiling center bolts
BR2000/BR4000
- TPR ergonomic non-slip grips
- Efficient ratcheting action

DISPLAYS & BANNERS

Display packages/ Banners available for retail garden centers, landscaper shops and agricultural supply houses. For details, please contact the Barnel Sales/Marketing Department at 1-503-291-1500 or info@barnel.com

Order Desk: 1-800-877-9907 or 1-503-291-1500

24 Hour Fax: 1-503-291-1600

Corporate Offices: 1-503-291-1400

Web: www.barnel.com • Email: info@barnel.com

Corporate Headquarters: 4888 NW Bethany Blvd., Suite K5-375
Portland, OR 97229-9260 USA

Barnel® International Agents, Importers and Subsidiaries:

Asia, Australia, Canada, Europe, Middle East, Central & South America, Africa
Copyright 2009, Barnel® International Inc. USA

Barnel®, Lop. Clip. Saw. Snip®, Ultra Reach®, Barnel USA®, Tiger Claw®,
Barnel...Tools For All Seasons...™ Leaders in Cutting Edge Technology™

Worldwide Choice of Professionals™, Leaping Frog Series™ and Barnel Bartanium™ are registered or pending trademarks of Barnel® International Incorporated.


Barnel Center Oiler Bolt Patented and Patent Pending, 2-Position Lock Patented and Patent Pending, other Patents and Patents Pending (many countries). For a complete list of Barnel® Patents or Patents Pending, please contact Barnel USA® Corporate Headquarters. PRODUCT LISTINGS, SPECIFICATIONS AND PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE. FOR CURRENT INFORMATION, CONTACT BARNEL® INTERNATIONAL, INC.

All rights reserved. No part of this catalog may be reproduced or transmitted in any form or by any means without written permission from Barnel® International, Inc. USA.

Spare Parts Available For Most Models Through Your Local Distributor/Importer

See Page 2 for Icon Descriptions

Rotating
Counter Top
Display



Banner

Rotating Floor
Display

