



SST Products Pty Ltd ACN 086 385 917
P.O. Box 2032, Bayswater Village, Bayswater, VIC., 3153
Phone 1800 778 247, Fax 1800 778 329

MATERIAL SAFETY DATA SHEET

PRODUCT NAME - BOOM TANK CLEANER

U.N. NUMBER: None Allocated CLASS: None allocated
HAZCHEM: None Allocated
PACK GRP: None Allocated
EPG: None Allocated POISONS SCHEDULE: None Allocated

CHEMICAL CONSTITUTION

Blend of anionic surfactants and sodium phosphates.

USES

For cleaning and decontaminating spraying equipment.

PHYSICAL PROPERTIES

Bulk Density (20 C)	0.55 Approx
Flash Point	N/a
Appearance	Light orange powder that turns green on addition to water
Solubility in water g/L	150
pH (1% aq.)	9.5 - 10

HEALTH EFFECTS

Acute:

SKIN: Will degrease skin and may lead to irritation on repeated or prolonged exposure.

EYES: An irritant to eyes.

INHALATION: Prolonged inhalation of mists may produce respiratory irritation and headaches at high exposure.

INGESTION: The ingredients have moderate toxicity. Ingestion may cause nausea, vomiting, and abdominal pain.

As with any chemical, ingestion, inhalation, and prolonged or repeated skin contact should be avoided by good occupational work practice.

FIRST AID

SKIN: Wash contaminated skin with plenty of water. Remove contaminated clothing and wash before re-use. If irritation persists seek medical advice.

EYES: Immediately irrigate with copious quantities of water for at least 15 minutes. Eyelids held open. Urgently seek immediate medical assistance.

INHALATION: Remove victim from exposure. Seek medical assistance if effects persist.

INGESTION: Give plenty of water or milk to drink and induce vomiting. Use fingers in the throat or Ipecac Syrup (AFP) and seek medical assistance.

ADVICE TO DOCTOR: Treat symptomatically.

PRODUCT NAME - BOOM TANK CLEANER

TOXICITY: LD50(rat): Acute oral >3000 mg/Kg

LD50(mouse): Oral >2000 mg/Kg

PRECAUTIONS FOR USE

EXPOSURE STANDARDS (TWA): No value assigned for this specific material or its ingredients by the National Occupational Health and Safety Commission (Worksafe Australia).

HANDLING CONTROLS: Use good occupational work practice with adequate ventilation. However, recommended Hygiene Standard TWA 2 mg/m³

PERSONAL PROTECTION: To avoid eye contact and repeated or prolonged skin contact wear overalls, goggles and impervious gloves. Wash contaminated clothing before re-use. Wash hands after use.

FLAMMABILITY: Non combustible material

STORAGE AND TRANSPORT: Not defined as a Dangerous Good by the Australian Code for the Transport of Dangerous Goods by Road and Rail.

SPILLS: Wash area down thoroughly with water or cover with an inert absorbent (soil, sand, vermiculite) to dispose of in sealed labelled drum followed by thorough wash down of effected area. Spillages are slippery.

DISPOSAL: Refer to State Land Management Authority. Normally suitable for disposal at approved land waste site.

FIRE/EXPLOSION HAZARD: Not combustible. Decomposes on heating emitting toxic fumes of phosphorous oxides. Fire fighters to wear self-contained breathing apparatus if risk of exposure to vapour or products of combustion. Avoid strong acids.

Extinguishing Media: Water, foam, carbon dioxide, dry powder.

ENVIRONMENTAL EFFECT: Dispose of used container safely.

Contact points - John Illingworth
Phone - (03) 9720 6306
Mobile - 0418 844 861

September 2003

All information contained in this document is as accurate as possible based in information submitted by raw material suppliers. SST Products Pty. Ltd. will not accept any responsibility for any damages that may result from reliance upon the information contained herein.